



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Washington, D.C. 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

May 7, 2013

Rebecca Horton, Agent
Lilly Miller Brands
c/o Registrations by Design, Inc.
P.O. Box 1019
Salem, VA 24153-1019

Subject: Label Amendment (add target broadleaf weeds and grasses and claims)
Lilly Miller Blackberry & Brush Killer
EPA Reg. No. 802-594
Application Dated April 19, 2013

Dear Ms. Horton:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

A stamped copy of the label is enclosed for your records. This label supersedes all previously accepted labels. You must submit one (1) copy of the final printed label before you release the product for shipment. Products released for shipment after eighteen (18) months from the date of this letter must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions.

If you have any questions, please contact Mindy Ondish at (703)605-0723 or at ondish.mindy@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Kable Bo Davis", enclosed within a large, hand-drawn oval.

Kable Bo Davis
Product Manager 25
Herbicide Branch
Registration Division (7505P)

**LILLY MILLER®
BLACKBERRY & BRUSH KILLER**

[Additional brand name: Lilly Miller® Hose 'N Go!® Blackberry & Brush Killer]

For use on woody plants in outdoor areas
Kills woody plants and deep-rooted weeds including blackberries, poison oak and Scotch broom
Kills blackberry(ies), kudzu, poison oak, poison ivy, mesquite, sumac, scotch broom, horsetail rush,
and most other woody plants (many kinds of woody plants)
Kills completely-stumps and roots won't grow
[Provides a] Complete Kill; No regrowth from the roots
You may replant in treated area in just 1 month (Treated area may be replanted one month after use)
With Crossbow
Connect & Spray Applicator
Also kills Blackberries, Poison Oak, Poison Ivy, and other listed plants
Kills Kudzu, Blackberries, Poison Oak, Poison Ivy, Sumac, and other listed plants
Kills tough brush [and vines] – roots and all
Kills above and below the ground
Covers 4,000 square feet
From Lilly Miller
Kills the root
For use along fences and driveways, under decks, around patios and buildings, or in driveways and
parking areas
Non-Selective: Controls listed woody plants, brush, and deep-rooted perennial weeds
Does not stain brick, concrete, pavement
Controls annual and perennial broadleaf weeds, Bermudagrass and kikuyugrass in perennial
bluegrass, perennial ryegrass or tall fescue lawns
Kills unwanted Bermudagrass
[Kills] [Controls] Bermudagrass [and kikuyugrass]
Kills tough [broadleaf] weeds

When distributed in single-cartridge packaging:
Contains XXX cartridges
Each ____ fl.oz. cartridge makes 1 gal. of spray

ACTIVE INGREDIENT:	
Triclopyr (3,5,6-trichloro-2-pyridinyloxyacetic acid), triethylamine salt*	8.0%
OTHER INGREDIENTS	92.0%
TOTAL	100.0%


*Equivalent to 5.7% triclopyr acid.

Keep out of reach of children

CAUTION

See back/side/other panel(s) [attached booklet/enclosed insert] for additional Precautionary
Statements & First Aid [and Complete Directions for Use]

NET CONTENTS 1 QUART (946 ml); 4 FL OZ



PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through the skin. Avoid contact with eyes, skin or clothing during and after application. When applying this product, wear a long-sleeved shirt, long pants, shoes and socks, and waterproof gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID

Have product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact (xxx-xxx-xxxx) (the National Pesticide Information Center at 800-858-7378) for emergency medical treatment information.

If swallowed:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or on clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not expected for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only. Not for use indoors.

Controls horsetail rush

Makes up to 8 gallons of spray

Easy to apply with a pump-up or hose-end sprayer

Won't harm the soil-replant in just 1 month

What is this product? And what will it do?

Blackberry & Brush Killer kills blackberry vines, plus many kinds of brush and unwanted woody plants. This product can be used in many places around your yard, such as along fences and driveways, under decks, around patios and buildings, or in driveways and parking areas. The area can be planted again just a few weeks after spraying.

Blackberry & Brush Killer will also prevent woody plants from sending up sprouts from the roots, once they are cut down.

Use Blackberry & Brush Killer to kill these plants:

Alder, Arkansas Rose, Arrowwood, Ash, Aspen, Beech, Birch, Blackberry, Blackgum, Box Elder, California Rose, Cascara, Ceanothus, Cherry, Chinquapin, Choke Cherry, Cottonwood, Douglas Fir, Dogwood, Elderberry, Elm, Hawthorn, Hazel, Honeysuckle, Hornbeam, Horsetail Rush (Field), Kudzu, Locust, Madrone, Maples, Mesquite, Mimosa, Mulberry, Oaks, Persimmon, Pine, Poison Ivy, Poison Oak, Poplar, Raspberry, Salmonberry, Sassafras, Scotch Broom, Sumac, Sweetbay Magnolia, Sweetgum, Sycamore, Tanoak, Thimbleberry, Trumpet Creeper, Tulip Poplar, Vine Maple, Virginia Creeper, Western Hemlock, Wild Grape, Wild Rose, Willow, Winged Elm.

How do I use this product?

When to use: Spray brush anytime it is actively growing - in Spring, after leaves are fully open, in Summer, when there is sufficient water, or in the Fall, before the leaves begin to change color.

What to do: Spray Blackberry & Brush Killer using a pump sprayer or a hose-end sprayer. Use a spray pattern which gives small droplets without a fine mist. Over-pumping the sprayer will make a fine mist. Spray when the air is calm and there is no wind. Wet the brush completely with the spray. This product works through the leaves and bark; there's no need to wet the soil. After leaves have dropped off (4 - 6 weeks after spraying), cut down the brush and dispose of it. Once the brush is gone, the area may be replanted.

What not to do: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the treated area during application. Do not allow people or pets onto treated areas until sprays have dried. Do not spray when it is windy. Do not allow spray mist to drift onto vegetables, flowers, ornamental shrubs and trees, small fruits, fruit trees, or any other desirable plants. They will be damaged. Do not spray when rain is expected within 24 hours. Do not water the area for 24 hours after spraying. Do not use this product around vegetables, fruits or other plants you eat. Do not use this product when temperatures are above 85 degrees F.

Mixing and Measuring - Shake well before using.

It's a good idea to have a separate sprayer just for weed and brush killers, to avoid mix-ups.

Use this amount of Blackberry & Brush Killer	in this amount of water	to cover this area
1/2 - 1 cup (4 - 8 fl. oz.)	1 gallon	500 sq. ft.
1 - 2 cups (8 - 16 fl. oz.)	2 gallons	1000 sq. ft.
1-1/2 - 3 cups (12 - 24 fl. oz.)	3 gallons	1500 sq. ft.

Use the higher amounts when conditions are especially dry and on mature or hard to kill brush (such as ash, blackgum, chokecherry, elm, maple, oak, pine or winged elm), to prevent resprouting. Coverage will vary somewhat depending on the amount of brush to be sprayed.

What will I see?

In one to six weeks the leaves will begin to wilt, turn brown and drop off.

Stump Treatment:

Blackberry & Brush Killer can also be used to prevent woody plants and trees from sending up sprouts from the roots. Right after the tree or bush has been cut down, apply Blackberry & Brush Killer to the stump. Use the product straight from the bottle, do not add water. Use a paint brush or small sprayer to completely cover the freshly cut surface. Do not reuse the paint brush; wrap it in several layers of newspaper and discard it in the trash. Blackberry & Brush Killer will be absorbed into the roots and reduce the number of sprouts coming up in the lawn and surrounding areas.

+++++

Alternate Directions For Use for container sold with hose-end sprayer attached:

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only. Not for use indoors.

No mix, no measure—just attach to a garden hose and spray

The easy-to-use sprayer attaches right to your garden hose. There's no mixing. Use only what you need, then put it away for next time.

WHAT IS THIS PRODUCT? AND WHAT WILL IT DO?

BLACKBERRY & BRUSH KILLER kills blackberry vines plus many woody plants and deep-rooted perennial weeds. It kills completely -- above and below the ground -- so stumps and roots won't regrow.

This product can be used in many places around your yard, such as along fences and driveways, under decks, around patios and buildings, or in driveways and parking areas. The easy-to-use sprayer attaches right to your garden hose. There's no mixing. Use only what you need, then put it away for next time.

Use **BLACKBERRY & BRUSH KILLER** to kill these plants:

- Alder, Ash, Aspen, Beech, Birch, Blackberry, Box Elder, Cascara (Buckthorn), Cherry, Chinquapin, Choke Cherry, Cottonwood, Dogwood, Elderberry, Elm, Hawthorn, Honeysuckle, Horsetail Rush (Field), Kudzu, Locust, Madrone, Maples (except Bigleaf and Vine), Mesquite, Mimosa, Mulberry, Oaks, Poison Ivy, Poison Oak, Poplar, Raspberry, Scotch Broom, Sumac, Sweetgum, Tanoak, Thimbleberry, Wild Grape, Wild Rose, Willow.

HOW DO I USE THIS PRODUCT?

When to use: Spray brush anytime it is actively growing: In spring, after leaves are fully open; in summer, when there is sufficient water; or in the fall before leaves begin to change color.

What to do: There is no mixing or measuring with **BLACKBERRY & BRUSH KILLER**. See the section "TO USE THIS SPRAYER" for operating instructions.

Spray when the air is calm and there is no wind. Wet the brush completely with the spray. This product works through the leaves and bark -- excess spray that runs off onto the soil will not improve control. After leaves have dropped off (4 - 6 weeks after spraying), cut down the brush and dispose of it. Once the brush is gone, the area may be replanted.

What not to do: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the treated area during application. Do not allow people or pets onto treated areas until sprays have dried. Do not spray when it is windy. Do not allow spray mist to drift onto vegetables, flowers, ornamental shrubs and trees, small fruits, fruit trees, or any other desirable plants. They will be damaged. Do not use this product around vegetables, fruits or other plants you eat. Do not spray when rain is expected within 24 hours. Do not water the area for 24 hours after spraying or effectiveness may be reduced.

TO USE THIS SPRAYER:

Sprays up to 20 feet!

1. Shake container well.
2. Connect spray nozzle to garden hose.
3. Turn on the water from the faucet.
4. When you are ready to spray, turn the knob on top so that it points to the MIX position on the spray head. (Fig. 1)
5. The spray deflector on the front of the hose-end applicator can be rotated to give a stream or fan spray. (Fig. 2)

TO STOP SPRAYING:

1. When you are finished spraying or if you have to stop spraying at any time, turn the knob back to the OFF position. (Fig. 3)
2. Turn off the water from the faucet.
3. Turn the knob to H2O then OFF, to drain the water from the hose. (Fig. 4)
4. Unscrew spray nozzle from hose.

OR

Apply at the rate of 1 quart of this product to cover 4,000 sq. ft.

1. Make sure knob control lever is in the OFF position. Shake well and attach to hose.
2. Turn water on at faucet, aim nozzle toward brush and turn control lever to ON to begin spraying. The product will automatically siphon and mix with water.
3. When finished turn control lever to OFF position. Turn faucet off. Discharge residual water pressure by turning control lever ON and OFF again.

OR

Apply at the rate of 1 quart of this product to cover 4,000 sq. ft.

1. Make sure the handle is in the upright position and locked OFF position. Shake container well and attach spray nozzle to hose.
2. Turn water on at faucet, aim nozzle toward lawn, bend tab back, and rotate handle clockwise towards the hose connection in the ON position to begin spraying. The product will automatically siphon and mix with water.
3. When finished turn the handle counterclockwise until the handle is in the upright position and locked position. Turn faucet off. Discharge residual water pressure by turning the handle ON and OFF again. Unscrew spray nozzle from hose.

WHAT WILL I SEE?

In one to six weeks the leaves will begin to wilt, turn brown and drop off.

+++++

[Alternate use directions for single-cartridge [AMDRO] delivery system.]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only. Not for use indoors.

WHAT IS THIS PRODUCT? AND WHAT WILL IT DO?

BLACKBERRY & BRUSH KILLER kills blackberry vines plus many woody plants and deep-rooted perennial weeds. It kills completely -- above and below the ground -- so stumps and roots won't regrow. It can also be used to control actively growing annual and perennial broadleaf weeds, Bermudagrass and kikuyugrass in perennial bluegrass, perennial ryegrass or tall fescue lawns.

This product can be used in many places around your yard, such as along fences and driveways, under decks, around patios and buildings, or in driveways and parking areas.

Use BLACKBERRY & BRUSH KILLER to kill these plants:

Alder, Ash, Aspen, Beech, Birch, Blackberry, Box Elder, Cascara (Buckthorn), Cherry, Chinquapin, Choke Cherry, Cottonwood, Dogwood, Elderberry, Elm, Hawthorn, Honeysuckle, Horsetail Rush (Field), Kudzu, Locust, Madrone, Maples (except Bigleaf and Vine), Mesquite, Mimosa, Mulberry, Oaks, Poison Ivy, Poison Oak, Poplar, Raspberry, Scotch Broom, Sumac, Sweetgum, Tanoak, Thimbleberry, Wild Grape, Wild Rose, Willow.

Use BLACKBERRY & BRUSH KILLER to kill the following broadleaf weeds, Bermudagrass and kikuyugrass in perennial bluegrass, perennial ryegrass or tall fescue lawns:

Black medic, Bull thistle, Burdock, Canada thistle, Chicory, Clover, Creeping beggarweed, Curly dock, Dandelion, Field bindweed, Goldenrod, Ground ivy, Lambsquarters, Lespedeza, Matchweed, Mustard, Oxalis, Plantain, Ragweed, Smartweed, Sweet clover, Vetch, Wild carrot (Queen Anne's lace), Wild lettuce, Wild violet, Yarrow

HOW DO I USE THIS PRODUCT?

When to use: Spray brush [or lawn weeds] anytime it is [they are] actively growing [from Spring through early Fall] [- in Spring, after leaves are fully open, in Summer, when there is sufficient water, or in the Fall, before the leaves begin to change color].

What to do: There is no mixing, no measuring. One 4 fl. oz. cartridge covers 500 sq. ft. Use only what you need, then put it away for next time.

Spray when the air is calm and there is no wind. To kill unwanted woody plants, brush and vines, wet the brush completely with the spray. This product works through the leaves and bark -- excess spray that runs off onto the soil will not improve control. After leaves have dropped off (4 - 6 weeks after spraying), cut down the brush and dispose of it. Once the brush is gone, the area may be replanted. Spray as a spot treatment to kill listed broadleaf weeds and undesirable grasses in lawns. Broadleaf weeds germinate at different times and only emerged weeds present at the time of application will be killed. Reapply at 4-week intervals, if needed, for control.

What not to do: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the treated area during application. Do not allow people or pets onto treated areas until sprays have dried. Do not spray when it is windy. Do not allow spray mist to drift onto vegetables, flowers, ornamental shrubs and trees, small fruits, fruit trees, or any other desirable plants. They will be damaged. Do not use this product around vegetables, fruits or other plants you eat. Do not spray when rain is expected within 24 hours. Do not water the area for 24 hours after spraying or effectiveness may be reduced. For use only in perennial bluegrass, perennial ryegrass or tall fescue lawns – do not use on other desirable turfgrass species. Do not apply to lawn grasses under heat or drought stress.

[Optional Summary Table for single-cartridge (AMDRO) delivery system.]

Where to Use	This product can be used in many places around your yard, such as along fences and driveways, under decks, around patios and buildings, or in driveways and parking areas. [For use only in perennial bluegrass, perennial ryegrass or tall fescue lawns – do not use on other desirable turfgrass species. Do not apply to lawn grasses under heat or drought stress.]
Kills	Kills blackberry, kudzu, poison oak, poison ivy, mesquite, sumac, scotch broom, horsetail rush, and most other woody plants (many kinds of woody plants). [Kills the following broadleaf weeds, Bermudagrass and

	kikuyugrass in perennial bluegrass, perennial ryegrass or tall fescue lawns: Black medic, Bull thistle, Burdock, Canada thistle, Chicory, Clover, Creeping beggarweed, Curly dock, Dandelion, Field bindweed, Goldenrod, Ground ivy, Lambsquarters, Lespedeza, Matchweed, Mustard, Oxalis, Plantain, Ragweed, Smartweed, Sweet clover, Vetch, Wild carrot (Queen Anne's lace), Wild lettuce, Wild violet, Yarrow]
When to Use	Spray when the air is calm and there is no wind. To kill unwanted woody plants, brush and vines, wet the brush completely with the spray. This product works through the leaves and bark -- excess spray that runs off onto the soil will not improve control. After leaves have dropped off (4 - 6 weeks after spraying), cut down the brush and dispose of it. Once the brush is gone, the area may be replanted. [Spray as a spot treatment to kill listed broadleaf weeds and undesirable grasses in lawns. Broadleaf weeds germinate at different times and only emerged weeds present at the time of application will be killed. Reapply at 4-week intervals, if needed, for control.]
[How Much to Use]	Mixes [Dilutes] automatically [when] [as] [you] [spray]
[Coverage]	[4.0 fl.oz.] [covers] [500] sq. ft.

The [AMDRO Spray Delivery System Name] is a patent pending innovative home lawn, landscape, and perimeter tank spray system. Spot treat weeds with this easy to use system.

1. Unscrew the tank cap and fill the tank with water up to the one gallon indicator. [The tank holds one gallon of water.]
2. Remove the [sprayer][wand][applicator] from the tank holster and unfold the [sprayer][wand][applicator].
3. Select the [cartridge][bottle] [pesticide] [herbicide] labeled for intended use. READ THE ENTIRE PRODUCT LABEL PRIOR TO USE.
4. Remove the cap from the [cartridge][bottle][herbicide]. [Each [cartridge][bottle] contains 4 oz. of [product][liquid].][Each 4 oz. [cartridge][bottle] of concentrate makes one gallon of [liquid][ready to use] spray.]
5. Insert the [cartridge][bottle] [pesticide] [herbicide] into the top of the sprayer and twist until tight.
6. Press the trigger to spot spray [weeds] as listed on the product label.
7. When finished spot treating remove the [cartridge][bottle] [pesticide] [herbicide]. Replace the cap on the [cartridge][bottle] [pesticide] [herbicide]. Follow label

Storage and Disposal instructions for product [pesticide][herbicide] [cartridge] [bottle].

- 8. After spot spraying rinse the [sprayer][wand][applicator] according to the RINSE:- USE DIRECTIONS.

RINSE: USE DIRECTIONS

- 1. Remove the [cartridge][bottle][pesticide][herbicide]. Ensure that there is water in the one gallon tank.
- 2. Press and hold the [trigger][sprayer] for 10 seconds to flush the [sprayer][wand][applicator] with clean water from the tank.

CHANGE [CARTRIDGE][BOTTLE]: USE DIRECTIONS

- 1. Remove the [cartridge][bottle][herbicide] currently loaded in the [AMDRO Spray Delivery System Name].
- 2. Follow label Storage and Disposal instructions for product [pesticide] [herbicide] [cartridge] [bottle].
- 3. Press and hold the [trigger][sprayer] for 10 seconds to flush the [sprayer][wand][applicator] with clean water from the tank.
- 4. Select a new [cartridge][bottle][pesticide][herbicide] labeled for intended use. READ THE ENTIRE PRODUCT LABEL PRIOR TO USE.
- 5. Insert the [cartridge][bottle][pesticide][herbicide] into the top of the sprayer and twist until tight.
- 6. Press the trigger to spot spray [weeds] as listed on the product label.
- 7. When finished spot treating remove the [cartridge][bottle][pesticide][herbicide]. Replace the cap on the [cartridge][bottle][pesticide][herbicide]. Follow label Storage and Disposal instructions for product [pesticide] [herbicide] [cartridge] [bottle].
- 8. After spot spraying, rinse the [sprayer][wand][applicator] according to the RINSE Use Directions. Store the [AMDRO Spray Delivery System Name] OR RINSE and change [cartridge][bottle].

NOTE: IF OUTPUT SPRAY IS DIMINISHED OR SPUTTERING, DO THE FOLLOWING:

- 1. Check that there is water remaining in the one gallon tank. If not, refill the tank with water.
- 2. Check that there is liquid remaining in the [cartridge][bottle]. If not, change to a new [cartridge][bottle].

[Two [cartridges][bottles] can be stored on the back of the [AMDRO Spray Delivery System Name]] .

[[Optional:}CHANGING BATTERIES:]

If sprayer does not operate or spray performance declines significantly, change the four AA alkaline batteries in the sprayer handle as follows:

1. Remove the [cartridge][bottle].
2. Slide the battery cover open in the underside of sprayer handle.
3. Allow battery cover to swing open.
4. Remove old batteries.
5. Replace with four AA alkaline batteries. Make sure the positive and negative ends match the direction indicated on the inside of the battery door.
6. Close battery door and slide the door until latch is closed.

[AMDRO® Spray Delivery System Name] Helpful Hints

- Remove yellow tab and insure batteries are inserted correctly
- Fill the [AMDRO® Spray Delivery System Name] with one gallon of water prior to loading the cartridge
- Do not discard red caps-keep for storage
- Do not engage the trigger when the wand is folded
- Twist nozzle to switch from mist to stream
- Do not store [AMDRO® Spray Delivery System Name] in excessive heat or cold
- Remove [AMDRO® Spray Delivery System Name] cartridge. Spray water for 10 seconds before switching cartridge or storing
- Never put chemical into the tank. Only water should be put into the tank
- Read the entire label for the selected [AMDRO® Spray Delivery System Name] cartridge prior to use. Observe all precautions and follow directions carefully

[Small package, 4 oz cartridge label for single-cartridge delivery system use]

**LILLY MILLER®
BLACKBERRY & BRUSH KILLER**

NET CONTENTS 4 fl oz (236.5 ml)

ACTIVE INGREDIENT:

Triclopyr (3,5,6-trichloro-2-pyridinyloxyacetic acid), triethylamine salt*	8.0%
OTHER INGREDIENTS	92.0%
TOTAL	100.0%

*Equivalent to 5.7% triclopyr acid.

Keep out of reach of children

CAUTION

See accompanying box and insert for Additional Precautionary Statements, First Aid and Complete Directions for Use.

LILLY MILLER BRANDS, 2030 Powers Ferry Road, Suite 370, Atlanta, GA 30339
EPA Reg. No. 802-594 EPA Est. No. _____

+++++

STORAGE AND DISPOSAL

Pesticide Storage: Store this product in its original container and keep out of reach of children and domestic animals.

Pesticide Disposal: If partly filled -- Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Container Disposal: If empty -- Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

NOTICE: To the extent consistent with applicable law, Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

To the extent consistent with applicable law, the registrant guarantees this product to the extent of the purchase price, only when used according to label directions.

IN CASE OF EMERGENCY CALL: xxx-xxx-xxxx

LILLY MILLER BRANDS

2030 Powers Ferry Road, Suite 370
Atlanta, GA 30339

www.lillymiller.com

Printed in U.S.A.

[Product of Canada]

Lilly Miller; Amdro; Central Garden & Pet; Central Garden & Pet with design; PowerFlex and Hose 'n Go! are registered trademarks of Central Garden & Pet Company.



[Lot No. to be added at production]